

IT-TESTS.COM

IT Certification Guaranteed, The Easy Way!



<http://www.it-tests.com>

We offer free update service for one year

Exam : **3V0-752**

Title : VMware Certified Advanced Professional 7 - Desktop and Mobility Design Exam

Vendor : VMware

Version : DEMO

NO.1 An architect for Company A is working on implementing a VMware Horizon solution.

- Company A will be acquiring Company B in the coming months.
- Company B has an existing Active Directory structure and there are NO plans to move those users over to Company A's Active Directory structure
- However, users from Company B need to be able to use VDI desktops running in Company A.

Which step could the architect take to meet requirements?

- A.** Set up a VMware Connection Server in Company B Domain.
- B.** Create a new AD user account for Company
- C.** Create a one-way or two-way forest trust relationship.
- D.** Use vdmadmin a command to assign Administrator access.

Answer: B

NO.2 An administrator receives reports from users connected to View PCoIP sessions of slow desktop responsiveness and blurry images. Additionally, some users report being randomly disconnected from their sessions.

The administrator determines the following:

- Network Latency is 100ms.
- PCoIP Packet Loss is more than 5%.

Which two solutions should the administrator implement to resolve the issues? (Choose two.)

- A.** Add additional vNICs to the virtual desktops.
- B.** Increase priority of PCoIP traffic.
- C.** Enable the Turn Off Build-to-Lossless GPO Setting.
- D.** Disable Spanning Tree on the switches.

Answer: B,C

NO.3 A View environment includes a View Connection Server and View security server.

The View Connection Server has the following configuration:

- DNSName: view.company.com
- IP Address: 192.168.1.1

The View security server has the following configuration:

- DNS Name: view.company.com
- IP Address: 192.168.1.1

An administrator needs to set up View to allow external access for the users over Blast.

Which option represents the format in which information must be entered into the Blast External URL field of the security server in View Administrator?

- A.** https://10.10.10.1:18443
- B.** https://security.company.com:8443
- C.** security.company.com:22443
- D.** https://security.company.com:443

Answer: B

NO.4 A company has asked an architect for assistance in reviewing its design plans for distributing a finance application to its users with multiple RDS hosts using a custom load balancing script.

What can the architect recommend for a script with proper load return values to prevent overloading

of an RDS host?

- A. Block connections to this RDS host at a load value of block.
- B. Allow connections to this RDS host at a load value of allow.
- C. Allow connections to this RDS host at a load value of 0.
- D. Block connections to this RDS host at a load value of 0.

Answer: A

Explanation:

<https://docs.vmware.com/en/VMware-Horizon-7/7.1/com.vmware.horizon-view.administration.doc/GUID-7FC6E9D2-5D12-4590-BB30-188F5E87D8F9.html>

NO.5 A company had a security breach which resulted in stolen data. The CIO has mandated that the security team implement a data leak prevention mechanism and better control over how data is accessed and distributed.

Which technology will prevent users from copying data from their Horizon View virtual desktop to their local endpoint when they are connected outside the corporate LAN?

- A. App Volumes
- B. User Environment Manager
- C. Unified Access Gateway
- D. Identity Manager

Answer: C


NO.6 A customer is deploying Horizon View 7.1 utilizing a Cloud Prod Architecture. The customer wants to utilize 32-node clusters, and a single vCenter at each site to support 9,500 desktops per site. Which two statements about this configuration are true? (Choose two.)

- A. This configuration allows multiple pools to be grouped together using global entitlements.
- B. This configuration allows all desktops at a site to be provisioned from a single master image.
- C. This configuration requires a 64-node cluster per site.
- D. This configuration exceeds the maximum supported size for a View block.

Answer: A,B

NO.7 An architect has been asked to evaluate the existing Active Directory infrastructure to implement a Horizon 7-based virtual Desktop infrastructure.

The Active Directory Admin helped the architect create the attached exhibit related to the current Active Directory.



The customer specified these requirements:

- Extend the same Horizon 7 infrastructure to a 20 User Organization from Stand-Alone Domain.
- Two users from the Stand-Alone Domain must have Administration access to Horizon View Infrastructure.

The architect has been asked to recommend Active Directory changes with a constraint of least possible trust relationship and credential duplication to meet the additional requirement.

Referring to the exhibit, which two recommendations would enable Active Directory infrastructure to meet requirements?

- A.** Configure Secondary credential for View Desktop users only.
- B.** Configure Secondary credential for View Desktop users and View Administration Domain.
- C.** Configure Secondary credential for View administration users only.
- D.** Establish one-way trust relationship between Parent Domain A and Stand-Alone Domain.
- E.** Establish two-way trust relationship between Parent Domain A and Stand-Alone Domain.

Answer: B,C

NO.8 A company asked an architect to design a VMware Horizon View 7.1 solution utilizing security servers to support 7500 local network users and 3500 remote sales personnel.

These requirements were requested:

- Design must provide high availability
- Design must use VMware's supported minimum number of connection servers
- All users will connect with BLAST or PCoIP

Which two minimums can the architect recommend to meet requirements? (Choose two.)

- A.** 3 Connection Servers for local users
- B.** 2 Connection Server for local users

C. 2 Connection Servers for remote users

D. 3 Connection Servers for remote users

Answer: A,C